

Projet Horizon - Horizon Project

-- Projet Horizon (site interne) - Docs - Sites web Horizon --

Sites web Horizon

Language of edition

Special tags used to create
some contents in articles and
sections

Chevallier Loic , Legrand
François

Monday 11 December 2006

<PDF_LINK> <TOC>

1 Standard SPIP and HTML tags

For more information about the SPIP shortcuts, please consult the help pages.

Remember that you can also include standards html tags inside your articles:

tooltip

will display a tooltip showing the text "this is a tooltip" when the mouse will pass over the word "tooltip".

2 Extra tags

In addition to the standard SPIP shortcuts, some additional tags (specific to this site) can be inserted directly inside your text.

2.1 <ENCART> blabla </ENCART>

Usage: <ENCART> blabla </ENCART>

This tag allows you to create a window to display some additional text in your page. This windows will appears in a different color.

Here is an example: Li Europan lingues es membres del sam familie. Lor separat existentie es un myth. Por scientie, musica, sport etc., li tot Europa usa li sam vocabularium. Li lingues differe solmen in li grammatica, li pronounciation e li plu commun vocabules. Omnicos directe al desirabilitá de un nov lingua franca: on refusa continuar payar custosi traductores. It solmen va esser necessari far uniform grammatica, pronounciation e plu sommun paroles. Li Europan lingues es membres del sam familie. Lor separat existentie es un myth. Por scientie, musica, sport etc., li tot Europa usa li sam vocabularium. Li lingues differe solmen in li grammatica, li pronounciation e li plu commun vocabules. Omnicos directe al desirabilitá de un nov lingua franca: on refusa continuar payar custosi traductores. It solmen va esser necessari far uniform grammatica, pronounciation e plu sommun paroles. Li Europan lingues es membres del sam familie. Lor separat existentie es un myth. Por scientie, musica, sport etc., li tot Europa usa li sam vocabularium. Li lingues differe solmen in li grammatica, li pronounciation e li plu commun vocabules. Omnicos directe al desirabilitá de un nov lingua franca: on refusa continuar payar custosi traductores. It solmen va esser necessari far uniform grammatica, pronounciation e plu sommun paroles.

2.2 <code><REAL AT></code>

Usage: <REAL_AT>

This command allows you to insert a @ which will not be replaced by an image. Indeed, by default, as a spam protection, all the @ are replaced by an image (plus some invisible fake tags) so the robots cannot parse email addresses. In some cases, you may need to show the "real" at character (in a <code> <code> </code> section for exemple). In this case, using <code>real_at</code></code> will give you this result: <REAL_AT> instead of this @ .

2.3 <code>{{{*Title}}}</code> and <code><TOC></code>

You can automatically create titles with numbering by using the following shortcuts:

```
<code>
{{{* Level1 Title1}}}
{{{*Level2 Title1}}}
bla bla
{{{*Level2 Title2}}}
bli bli
{{{*Level1 Title2 }}}
and so on...
</code>
```

This is used inside this article to label the sections.

And you can also automatically include a table of contents of the article using the following tag: <code> <TOC> </code> When placed inside a "index" article (remember that article titled "index" describes the whole section) it will create the TOC of ALL the articles inside the section. Example at the beginning of this article.

2.4 <code><PDF LINK></code>

This tag (<PDF_LINK>) will add a link (aligned on the right) to dynamically create a pdf file of the article. The pdf file will generate automatically a table of content. When placed inside a "index" article (remember that article titled "index" describes the whole section) it will create the PDF containing ALL the articles inside the section. Note that this function is still under developpement, so it can sometimes gives some bad results (some characters or images may not appear inside the generated PDF file.)

2.5 <REGISTRATION> and <FASTREGISTRATION>

Usage: <REGISTRATION> or <FASTREGISTRATION>

These tags will include respectively a registration form and a simplified registration form.

This is useful to allow registration of participants inside a meeting page.

The registration will refer to the page where the tag is inserted, so the system has no limit for the number of registration list it can manage.

The personal data (name, email, etc...) are stored inside a database so the users will need to provide it only the first time they will register.

If an email/list of emails addresses (comma separated) is specified inside the tags after "registration"/"fastregistration", a notification email will be automatically sent to this/these addresses each time a user register, update or cancel his registration. This list is optional.

Table of Contents

Language of edition	1
1 Standard SPIP and HTML tags	2
2 Extra tags	2
2.1 <encart> blabla </encart>	2
2.2 <real_at>	2
2.3 {{{*Title}}} and <toc>	3
2.4 <PDF_LINK>	3
2.5 <registration> and <fastregistration>	3